



### ARG 30 H HARNESS

Article No.: 69162SK362

Model No.: G-0030-H

The high-performance full-body harness ARG 30 is the allrounder for maintenance work & construction. It is light and uncomplicated and yet provides maximum safety. The adjustable buckles in the shoulder and leg areas mean that the ARG 30 can be quickly put on, taken off & adjusted. The harness belt cannot slip while the harness is being worn, and sits compactly against the body, even in cases of head-first falls.

The central chest eyelet, made of steel, meets the EN 361 standard & is suitable as a fall-arrest eyelet, as well as for rescue.



#### FEATURES

**Max. service life:** 6-8 Years  
**Max. number of persons:** 1  
**Attachment points:** Dorsal, Sternal, Pole strap attachment point



**Hand-washing:** 40 °C  
**Temperature:** -35 °C to 50 °C

#### MEASUREMENT/WEIGHT

**Weight:** 1.71 kg  
**Size:** Unisize  
**Waist size:** 80-110 cm

#### MATERIALS

**Strap:** Polyester  
**D-rings:** Steel  
**Strap:** Polyester

#### STANDARDS

EN 358, EN 361:2002



Lightweight with maximum safety  
 Quick to put on and taken off  
 Adjustable buckles in the shoulder and leg

Doc. Control:	Rev.: 3.2	Date: April 11, 2016
---------------	-----------	----------------------

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FP 1328-3.2




## ARG 30 H HARNESS

Article No.: 69162SK362

Model No.: G-0030-H

### SPECIFICATION & FEATURES



Lightweight with maximum safety  
Quick to put on and taken off  
Adjustable buckles in the shoulder and leg

#### AREA OF APPLICATION

Construction/Roofers/Carpenter, Metal Construction,  
Power Supplies/Transmission/Telecommunications



Doc. Control:	Rev.:	Date:
	3.2	April 11, 2016

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FP 1328-3.2



## EG Konformitätserklärung EC Declaration of Conformity

Der Hersteller oder sein in der Gemeinschaft niedergelassener Bevollmächtigter erklärt hiermit, dass die nachstehend beschriebene neue PSA:

The manufacturer or his authorized representative established in the Community declares that the new PPE described hereafter:

**'ARG 30 H' (G-0030-H) nach EN 358, EN 361:2002**  
**'ARG 30 H' (G-0030-H) according EN 358, EN 361:2002**

- Übereinstimmt mit den Bestimmungen der Richtlinie 89/686/EWG und
- identisch ist mit der PSA, die Gegenstand der EG-Baumusterprüfbescheinigung Nr. P5 08 04 56368 052 war, ausgestellt vom:
- is in conformity with the provisions of Council Directive 89/686/EEC and
- is identical to the PPE which is subject of EC-type certificate No. P5 08 04 56368 052 issued by:

**TÜV SÜD PRODUCT SERVICE GMBH, Germany (CE0123)**

Skylotec GmbH unterliegt dem Verfahren nach Artikel 11 Buchstabe B der Richtlinie 89/686/EWG unter Kontrolle der gemeldeten Stelle:

Skylotec GmbH is subject to the procedure set out in Article 11 point B of Directive 89/686/EEC under the supervision of the notified body:

**TÜV SÜD Product Service GmbH, Daimlerstraße 11, 85748 Garching, Germany (CE0123)**  
Neuwied, 2012-04-16



Ort, Datum, Unterschrift / Place, date, signature



**SKYLOTEC GmbH**  
Im Mühlengrund 6-8  
56566 Neuwied • Germany  
Fon +49 (0)2631 • 9680-0  
Fax +49 (0)2631 • 9680-80

SKYLOTEC GmbH  
Im Mühlengrund 6-8  
56566 Neuwied  
Fon +49 (0)2631 • 9680-0  
Fax +49 (0)2631 • 9680-80  
Mail [info@skylotec.de](mailto:info@skylotec.de)  
Web [www.skylotec.de](http://www.skylotec.de)

CEO:  
Dr. jur. Kai Rinklake  
Register Number B11423  
VAT ID DE149 527 314