



ARG 51 FORMOTION WIND

Article No.: 69162SK363
Model No.: G-0051-W

The ARG 51 FORMOTION WIND is the global player – optimized for use in wind power stations. It completely fulfils strict requirements regarding material and wearing comfort. In addition, it can be used worldwide. As well as all of the innovative details of the ARG 51 FORMOTION, the WIND also has a slideboard [1]. This special synthetic slideboard protects back, harness and tower when climbing wind turbines and descending into shafts.



FEATURES

Fall indicator:	Yes
Shoulder or leg padding:	Yes
Max. service life:	6-8 Years
Max. number of persons:	1
Attachment points:	Dorsal, Sternal, Pole, Climbing protection eyelet



Click buckles:	Yes
Synthetic slide plate:	Yes
Gear loop:	Yes
Back support:	Yes
Hand-washing:	40 °C
Temperature:	-35 °C to 45 °C

MEASUREMENT/WEIGHT

Weight:	3.04 kg
Size:	M/L
Waist size:	800-1100 mm

MATERIALS

Strap:	Polyester
D-Ring/Eyelets:	Steel
Click buckle:	Aluminum

STANDARDS

EN 358:1999, EN 361:2002
ANSI Z359.1:2007, ANSI Z359.3:2007,
CSA Z259.10-12-A/P/L



The perfect harness for work with high requirements on wearing comfort and material. Approved for international use.

Doc. Control:	Rev.:	Date:
	3.2	April 11, 2016

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FP 1357-3.2



ARG 51 FORMOTION WIND

Article No.: 69162SK363

Model No.: G-0051-W

SPECIFICATION & FEATURES



AREA OF APPLICATION

Wind Energy / Offshore Industry



The perfect harness for work with high requirements on wearing comfort and material. Approved for international use.

Doc. Control:	Rev.: 3.2	Date: April 11, 2016
---------------	-----------	----------------------

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FP 1357-3.2



EG Konformitätserklärung EC Declaration of Conformity

Der Hersteller oder sein in der Gemeinschaft niedergelassener Bevollmächtigter erklärt hiermit, dass die nachstehend beschriebene neue PSA:

The manufacturer or his authorized representative established in the Community declares that the new PPE described hereafter:

'ARG 51 FORMOTION WIND' (G-0051-WS-L/XXL) nach EN 358:1999, EN 361:2002
'ARG 51 FORMOTION WIND' (G-0051-WS-L/XXL) according EN 358:1999, EN 361:2002

- Übereinstimmt mit den Bestimmungen der Richtlinie 89/686/EWG und
- identisch ist mit der PSA, die Gegenstand der EG-Baumusterprüfbescheinigung Nr. P5 08 06 56368 059 war, ausgestellt vom:
- is in conformity with the provisions of Council Directive 89/686/EEC and
- is identical to the PPE which is subject of EC-type certificate No. P5 08 06 56368 059 issued by:

TÜV SÜD PRODUCT SERVICE GMBH, Germany (CE0123); DGVU FACHAUSSCHUSS PSA, Germany (CE0299)

Skylotec GmbH unterliegt dem Verfahren nach Artikel 11 Buchstabe B der Richtlinie 89/686/EWG unter Kontrolle der gemeldeten Stelle:

Skylotec GmbH is subject to the procedure set out in Article 11 point B of Directive 89/686/EEC under the supervision of the notified body:

TÜV SÜD Product Service GmbH, Daimlerstraße 11, 85748 Garching, Germany (CE0123)

Suppliers Declaration of Conformity

SKYLOTEC GmbH hereby declares that the new PPE complies with the product standards described hereafter:

'ARG 51 FORMOTION WIND' (G-0051-WS-L/XXL) according ANSI Z359.1:2007, ANSI Z359.3:2007, CSA Z259.10-12-A/P/L

Neuwied, 2008-06-24

Ort, Datum, Unterschrift / Place, date, signature



SKYLOTEC GmbH
Im Mühlengrund 6-8
56566 Neuwied • Germany
Fon +49 (0)2631 • 9680-0
Fax +49 (0)2631 • 9680-80

SKYLOTEC GmbH
Im Mühlengrund 6-8
56566 Neuwied
Fon +49 (0)2631 • 9680-0
Fax +49 (0)2631 • 9680-80
Mail info@skylotec.de
Web www.skylotec.de

CEO:
Dr. jur. Kai Rinklake
Register Number B11423
VAT ID DE149 527 314